	Application No.	Applicant(s)
		V
Notice of Allowability	10/069,674 Examin r	KOVATCHEV ET AL. Art Unit
riolioo oi rinowasiiiy	Examin	Art offic
	Michael C Astorino	3736
Th MAILING DATE of this communication app ars on th cover sh t with th correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to telephone interview 12/01/2004.		
2. The allowed claim(s) is/are <u>1-4,6-8 and 10-18.</u>		
3. The drawings filed on 2/2002 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 		
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachm nt(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	6. ⊠ Interview Summary Paper No./Mail Dat	e <u>12/1/2004</u>
Paper No./Mail Date	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/069,674

Art Unit: 3736

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert J. Decker on December 1, 2004.

The application has been amended as follows:

In claim 1, line 12 after "routine" insert --using a computerized processor--; In claim 7, line 9, after "routine" insert --using a computerized processor--; In claim 11, line 11, after "determined" insert -- by a computer processor--; In claim 17, line 9, after "determined" insert -- by a computer processor-Cancel claims 19-20.

The following is an examiner's statement of reasons for allowance: the prior art including Kovatchev et al., "Symmetrization of the Blood Glucose Measurement Scale and Its

Applications. Diabetes Care" fails to disclose by itself or in combination a method or apparatus for predicting a near future BG profile and the onset of hypoglycemia wherein HRV history profile is recorded and hypoglycemia prediction module predicts the onset of hypoglycemia-in context with the remaining limitations in the independent claim(s). Additionally, the language in the independent claims added by examiner's amendment is to obviate over a non-statutory subject matter. Specifically, to be part of the useful technological arts the claim recitation must

Application/Control Number: 10/069,674

Art Unit: 3736

be more than abstract ideas. In this case, the applicant has agreed to include language so that the

recited claims can be statutory subject matter.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Michael C Astorino whose telephone number is 571-272-4723.

The examiner can normally be reached on Monday-Friday, 8:30AM to 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Astorino December 13, 2004

Page 3

TECHNOLOGY CENTER 3700